

Flat Glass

General Catalogue



EN

Flat Glass Technology

Copyright © 2022 BOTTERO S.p.A. All Rights Reserved

we • glass

we ●

glass

we **know** glass, we **love** glass

As a global leader in flat glass and hollow glass processing technology, we have been helping to shape one of the most beautiful and useful materials in the world for over 60 years. Its unique qualities, combined with the passion for technology and innovation, guide us in seeking for newer and more effective solutions to improve and expand its use.



A complete range of cutting machines for float glass. From stand alone machines to high automation lines, a complete range of performances as well as the possibility having low emissive removal on all configurations.

343 BKM

Cutting and Low-e grinding machine for monolithic glass sheets. The model Moduline 343 BKM is available with fixed working table and belts. The shape cutting table is complete with air cushion and quick shut-off valve for air cushion (option), automatic management of cutting pressure and shape scanner + scan cad.

| | |
|-------------------------|-------------|
| Plank Type | On-line Cut |
| Processed glass | Float |
| Processing | Cut Only |
| Automation level | ★★★★• |

Evaluation based on comparison with other Bottero products of the same category.





Technical features

| | Metric | Imperial |
|--------------------------|----------------------------------|----------------------------|
| Max cutting speed | 150 m/min | 5906 ipm |
| Accuracy | ± 0,15 mm | ± 0,006" |
| Glass thickness | 2 ÷ 19 mm | 5/64" ÷ 3/4" |
| Max glass size | 6100 x 3355 mm 3810 x 2750 mm | 240" x 132" 150" x 108" |