

# Flat Glass

## General Catalogue



EN

Flat Glass Technology

Copyright © 2022 BOTTERO S.p.A. All Rights Reserved

we • glass

**we** ●


# glass

we **know** glass, we **love** glass

As a global leader in flat glass and hollow glass processing technology, we have been helping to shape one of the most beautiful and useful materials in the world for over 60 years. Its unique qualities, combined with the passion for technology and innovation, guide us in seeking for newer and more effective solutions to improve and expand its use.

540

BO




A complete range of cutting machines for laminated glass. From stand alone machines to high automation lines, this complete range is identified by its high level of modularity, automation and use facility.

# 515 LAMe

Automatic machine for cutting, breaking and separating of laminated glass.  
The model Lamilinea 515 LAM is composed by complete central module, abutment and working table with multiple automatic positioning according to optimisation, PVB cutting with automatic blade, low-e glass cutting 8+8+4,56 (PVB), hp super heating element with infrared rays in two independent sections, "c" patterned glass processing capability, laser device for positioning of diagonal cutting and personal computer.

<b>Plank Type</b>	Stand Alone
<b>Processed glass</b>	Laminated
<b>Processing</b>	Cut Only
<b>Automation level</b>	★★★★●

Evaluation based on comparison with other Bottero products of the same category.





### Technical features

	Metric	Imperial
<b>Max cut</b>	3700 mm   4600 mm	146"   181"
<b>Max cutting speed</b>	100 m/min	3940 ipm
<b>Min glass thickness</b>	2 ÷ 0,38 PVB ÷ 2 mm	5/64" ÷ 0,015" PVB ÷ 5/64"
<b>Max glass thickness</b>	8 ÷ 4,56 PVB ÷ 8 mm	5/16" ÷ 0,180" ÷ 5/16"
<b>Cutting &amp; breakout 20 mm</b>	not available	not available