

Flat Glass

General Catalogue



EN

Flat Glass Technology

Copyright © 2022 BOTTERO S.p.A. All Rights Reserved

we • glass

we ●

glass

we **know** glass, we **love** glass

As a global leader in flat glass and hollow glass processing technology, we have been helping to shape one of the most beautiful and useful materials in the world for over 60 years. Its unique qualities, combined with the passion for technology and innovation, guide us in seeking for newer and more effective solutions to improve and expand its use.



The most vast range of products for any production and storage management requirement with any automation level.

620 / 630 / 640 Loader

These machines are recognized worldwide for their high degree of flexibility, reliability and ease of use. They can handle glass from 2 up to 25 mm with a glass depth of 1200 mm. Unique system for glass detachment pneumatically assisted. The arm movements are mechanically actuated.


Type of glass in stock Little / Average

Number of cutting lines More than 2

Automation level ★★★★★

Evaluation based on comparison with other Bottero products of the same category.





Technical features

	Metric	Imperial
Glass thickness	2 ÷ 19 mm	5/64" ÷ 3/4"
Optional glass thickness	2 ÷ 25 mm	5/64" ÷ 1"
Max glass size	6100 x 3355 mm 3810 x 2750 mm	240" x 132" 150" x 108"
Max rack depth	1200 mm	47"