

# Flat Glass

## General Catalogue



EN

Flat Glass Technology

Copyright © 2022 BOTTERO S.p.A. All Rights Reserved

we • glass

**we** ●

# glass

we **know** glass, we **love** glass

As a global leader in flat glass and hollow glass processing technology, we have been helping to shape one of the most beautiful and useful materials in the world for over 60 years. Its unique qualities, combined with the passion for technology and innovation, guide us in seeking for newer and more effective solutions to improve and expand its use.



A range of modular and flexible solutions for laminated glass.



# Flex Lami Lines

Flex Lami Lines are capable of easily manufacturing different product types irrespective of shape, make-up and dimensions. This key factor is achieved by implementing a strategy focusing on quality, reliability and total flexibility on the manufacturing plant.

Flex Lami Lines are manufactured in Bottero and are equipped with the most advanced heating system (full radiation & full connection) and features for fine tuning and energy saving. capability, laser device for positioning of diagonal cutting, personal computer and optimizer Bottero.





## Automation level



Evaluation based on comparison with other Bottero products of the same category.



## Technical features

	Metric	Imperial
<b>Most common sizes (max)</b>	W 2600 mm x L 4000 (5000   6000 W 2800 mm x L 4000   5000   6000 W 3300 mm x L 5000   6000	W 102" x L 157"   196"   236" W 110" x L 157"   196"   236" W 129" x L 196"   236"
Other on demand		
<b>Availability of different shapes</b>	   	
<b>Type of glass allowed</b>	Float glass   Low-e glass   Tempered glass   Coated glass	
<b>Type of interlayers allowed</b>	Interleaved PVB   EVA   SentryGlassPlus®	
<b>Max glass thickness output</b>	100 mm	4"
<b>Max glass thickness output</b>	2 ÷ 25 mm	5/64" ÷ 1"
<b>Max glass thickness output</b>	4 ÷ 100 mm	5/32" ÷ 15/16"
<b>Max glass weight output</b>	1350 kg	2976 lb

