

# Flat Glass

## General Catalogue



EN

Flat Glass Technology

Copyright © 2022 BOTTERO S.p.A. All Rights Reserved

we • glass

**we** ●

# glass

we **know** glass, we **love** glass

As a global leader in flat glass and hollow glass processing technology, we have been helping to shape one of the most beautiful and useful materials in the world for over 60 years. Its unique qualities, combined with the passion for technology and innovation, guide us in seeking for newer and more effective solutions to improve and expand its use.



Straight line edgers and bevellers are manufactured to ensure maximum production and maximum reliability.



# Variant

Variant is the range of Bottero variable angle grinders. The 8 models available within this range of machines allow working the flat edge of an angle varying up to 45° and removing the arris.

**Type of processing**

Variable angle up to 45°

**Automation level**

★ ★ ★ • •

Evaluation based on comparison with other Bottero products of the same category.



### Executable processing



Flat edge with arrises



Flat edge with bevel oversized up to 45°



### Technical features

	Metric	Imperial
Min glass size	100 x 100 mm	4" x 4"
Min glass size	40 x 40 mm	2" x 2"
Glass thickness	3 ÷ 55 mm	1/8" ÷ 2"
Max speed	0,4 ÷ 6 m/min	16 ÷ 236 ipm
Max angle	0 ÷ 45°	0 ÷ 45°